

Your (**Environment Clearance**) application has been **Submitted** with following details

Proposal No	SIA/DD/IND2/29926/2018
Compliance ID	70689786
Compliance Number(For Tracking)	EC/M/COMPLIANCE/70689786/2024
Reporting Year	2024
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	27-05-2024
IRO Name	Shrawan Kumar Verma
IRO Email	kr099.ifs@nic.in
State	THE DADRA AND NAGAR HAVELI AND DAMAN AND DIU
IRO Office Address	Integrated Regional Offices, Gandhi Nagar

Note:- SMS and E-Mail has been sent to Shrawan Kumar Verma, THE DADRA AND NAGAR HAVELI AND DAMAN AND DIU with Notification to Project Proponent.

**Half Yearly Compliance Report
2024
01 Jun(01 Oct - 31 Mar)**

Acknowledgment

Proposal Name	M/s. Wellknown Polyesters Ltd., Dabhel Ind. Co. Op. Soc. Ltd., Dabhel,Daman - 396 215 U.T. of Dadra & Nagar Haveli and Daman & Diu.		
Name of Entity / Corporate Office	ANIL MADANLAL GUPTA		
Village(s)	N/A		
District	DAMAN		
Proposal No.	SIA/DD/IND2/29926/2018	Category	Industrial Projects - 2
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	THE DADRA AND NAGAR HAVELI AND DAMAN AND DIU	Entity's PAN	NA
MoEF File No.	UTEIAA/DNH-DD/2022/20	Entity name as per PAN	NA

Compliance Reporting Details

Reporting Year 2024
Remarks (if any)
Reporting Period 01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office ANIL MADANLAL GUPTA

	Project Area as per EC Granted	Annual Project Area in Possession
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0	0

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Polyester Staple Fibre (PSF)	Others:	01/01/0001	547.5 KTA	NIL	
2	Partially Oriented Yarn (POY)/Fully Drawn Yarn (FDY)	Others:	01/01/0001	912.5 KTA	NIL	
3	Polyester Staple Fibres (PSF) from Polyester Chips	Others:	01/01/0001	160 KTA	NIL	

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Human Health Environment	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
<p>PPs Submission: Complied</p> <p>Will be complied with the condition. We have taken nearby chawls on rent for housing of construction labour. Necessary infrastructure and facilities is already available in near-by area such as fuel for cooking, toilets, safe drinking water, medical health care etc. Also, canteen facilities will be provided. The Photographs are attached as Annexure – C.</p>		Date: 25/05/2024
2	AIR QUALITY MONITORING AND PRESERVATION	The National Ambient Air Quality Emission Standards issued by the Ministry vide G. S.R. No. 826 (E) dated 16 November, 2009 shall be complied with.
<p>PPs Submission: Complied</p> <p>We wish to inform that we have already obtained CTE vide no PCC/DDD//O-2087/WA/AA/DB/04-05/1337810 on 14/10/2022. Also, we have obtained amendment in CTE for extension of validity. Copy of Amendment letter and CTE are attached herewith as Annexure – A1 and A2. We have applied for CTO from PCC. Copy of acknowledgement for CTO application is attached herewith as Annexure – B. We will comply with the condition at the time of operational phase of the proposed project. The compliance for existing projects is given in F. No. CF/DMN/13/2018-19/58 dated 03/01/2020.</p>		Date: 25/05/2024
3	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide for monitoring arrangement within the stack and regular monitoring shall be carried out and reports submitted to the PCC (DNH&DD)and UTEAC (DNH&DD)
<p>PPs Submission: Partially Complied</p> <p>We will comply with the condition at the time of operational phase of the proposed project. The compliance for existing projects is given in F. No. CF/DMN/13/2018-19/58 dated 03/01/2020.</p>		Date: 25/05/2024

4	AIR QUALITY MONITORING AND PRESERVATION	In plant, control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Adequate dust suppression systems with water spray shall be provided for storage yard, junction houses. Raw material loading and unloading area shall be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained. The emissions shall conform to the limits stipulated by the PCC, DNH & DD.
PPs Submission: Complied We have provided adequate stack height to the all stacks. There was no generation of dust so dust suppression system is not applicable for our unit. The compliance for existing projects is given in F. No. CF/DMN/13/2018-19/58 dated 03/01/2020. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained at time of operation phase.		Date: 25/05/2024
5	AIR QUALITY MONITORING AND PRESERVATION	The gaseous emissions from DG set shall be dispersed through adequate height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
PPs Submission: Complied DG set emissions will be dispersed through adequate height and Acoustic enclosure will be provided to the DG sets to mitigate the noise pollution.		Date: 25/05/2024
6	AIR QUALITY MONITORING AND PRESERVATION	For control of Process Emissions, stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided.
PPs Submission: Complied There will be no process emissions from the manufacturing of Products.		Date: 25/05/2024
7	AIR QUALITY MONITORING AND PRESERVATION	Gas based utility system as proposed may be implemented early to further reduce the emission from other fuel based systems. A plan in this regard may be submitted to PCC, DNH & DD for monitoring.
PPs Submission: Partially Complied We will comply with the condition at the time of operation phase of the project.		Date: 25/05/2024
8	AIR QUALITY MONITORING AND PRESERVATION	The Project Proponent must meet the Annual Average Standard of Ambient Air Quality and have its own ambient air quality monitoring team and setup. The predicted PM10 concentration in ambient air as reported ranges from 47-95ug/m3. Particle size analysis and source apportionment of particulate matters should be done in order to ascertain actual sources of the air pollution caused in the ambient air. The Pollution Control Committee, DD & DNH may carry out study on source apportionment of particulate matter in the ambient air for one year funded by WPL.
PPs Submission: Complied We agree to take all necessary precautions to meet the NAAQS after implementation of the proposed project and also try and setup team for AAQ monitoring. We agree to fund any such studies to be conducted by PCC in future.		Date: 25/05/2024
9	GREENBELT	Plantation of native trees to be undertaken on A-1 site (AAQ Station) in the boundary of village. Further, Road passing on Northern side may also be planted in consultation with concerned authorities to further help reducing air pollution.

<p>PPs Submission: Partially Complied We will comply with the condition at the time of operation phase of the project.</p>		<p>Date: 25/05/2024</p>
10	GREENBELT	<p>Environmental clearance is subject to submission of green belt plan within three months with Year-wise plantation details, areas to be planted, name of species and expenditure involved. Only native and local species of plants should be planted by examining the areas, existing industrial structures, and soil quality. The company shall carry out Green Belt Development in minimum of 93000 m2 area as proposed in EMP. Drip Irrigation may be preferred in Green Belt Development.</p>
<p>PPs Submission: Complied Greenbelt development will be carried out gradually as per the greenbelt development plan. Drip irrigation system will be provided.</p>		<p>Date: 25/05/2024</p>
11	GREENBELT	<p>The project to plant species of short trees on vacant lands available in the project site as per green belt development plan. It was also suggested to undertake two row plantations of 5 ft. tall saplings at three sides in 2 mt. spacing in the 6 ha land adjoining to existing plant of the project.</p>
<p>PPs Submission: Complied Development of greenbelt in vacant area is in under process as per green belt development plan.</p>		<p>Date: 25/05/2024</p>
12	WATER QUALITY MONITORING AND PRESERVATION	<p>The industrial waste water (4790m3/day) from process washing, effluent from CP, effluent from PSF will be treated in the Effluent Treatment Plant, Reverse Osmosis and Multi Effect Evaporator (MEE) for primary, secondary & tertiary treatment. The treated effluent will be recycled back. The domestic waste water (50 m3/day) shall be treated through ETP+RO+MEE. The total waste water generated i.e. 4840m3/day shall be reused and there shall be no discharge of waste water.</p>
<p>PPs Submission: Partially Complied Condition will be complied</p>		<p>Date: 25/05/2024</p>
13	WATER QUALITY MONITORING AND PRESERVATION	<p>At present 25000 m3 roof rain water is being collected and after installation of all the 71 RWH systems the water harvesting potential will be estimated as 146010 m3/annum. Therefore, project proponent must utilize Harvested Roof-Rainwater and reduce dependency on surface water sources as also recommended by public hearing panel.</p>
<p>PPs Submission: Partially Complied We agree to comply with the condition</p>		<p>Date: 25/05/2024</p>
14	WATER QUALITY MONITORING AND PRESERVATION	<p>Company shall construct guard pond for collection of treated effluent and shall carry out the water quality test by collecting the treated effluent from the guard pond before application on land. The treated effluent quality shall meet the standards prescribed by the CPCB for land application and testing reports shall be submitted to CPCB and Ministry's Regional Office at Gandhinagar.</p>
<p>PPs Submission: Complied For existing project, a guard pond of 160 kL capacity is provided before using for greenbelt. For proposed project we will expand the capacity of guard pond (approx. 160 kL to 200 kL).The compliance for existing projects is given in F. No. CF/DMN/13/2018-19/58 dated 03/01/2020.</p>		<p>Date: 25/05/2024</p>

15	WATER QUALITY MONITORING AND PRESERVATION	The Project Proponent must submit Water Balance Diagram showing the roof rainwater use and recycling to the SEIAA within one month of issue of EC. Zero discharge of industrial effluent is shown in the scheme and adopted as also recommended by public hearing panel.
PPs Submission: Complied The water balance diagram is already submitted to SEIAA in ADS reply vide letter no. WPL/HR/Govt./22-30 on dated 13/09/2022. Copy of water balance diagram along with calculation is attached as Annexure – L.		Date: 25/05/2024
16	WATER QUALITY MONITORING AND PRESERVATION	Surface water bodies in study area have high BOD and Total Coliform and need conventional treatment with disinfection. Similarly TDS, total hardness and total alkalinity in ground water also crossed the desired limit. CSR schemes may be made to provide safe drinking water to villages. Help from specialized institutions like CSIR etc. to train the village self-help groups to manufacture terracotta filters may be taken to deal with deal with drinking water issues in the area.
PPs Submission: Partially Complied Noted and we will comply with the condition at the time of operation phase of the project.		Date: 25/05/2024
17	WATER QUALITY MONITORING AND PRESERVATION	The project proponent is not permitted to use freshwater for greenbelt development or plantation or for gardening purpose. Requirement can be met by reusing treated ETP water.
PPs Submission: Complied The water balance diagram is already submitted to SEIAA in ADS reply vide letter no. WPL/HR/Govt./22-30 on dated 13/09/2022. Copy of water balance diagram along with calculation is attached as Annexure – M.		Date: 25/05/2024
18	WATER QUALITY MONITORING AND PRESERVATION	During transfer of materials, spillages shall be avoided and garland drains should be constructed to avoid mixing of accidental spillages with domestic waste and storm water drains.
PPs Submission: Complied For existing project, we have constructed garland drains to avoid mixing of accidental spillages with domestic waste and storm water drains. Garland drains will be constructed during establishment of the proposed project.		Date: 25/05/2024
19	Human Health Environment	Occupational health monitoring of the workers should be done on a regular basis and records maintained as per the provisions of the Factories Act, 1948.
PPs Submission: Complied Occupational health monitoring of the workers are done pre-employment and annually. Same practice will be followed for additional man-power.		Date: 25/05/2024
20	MISCELLANEOUS	All vehicles entering to the project site to be screened for PUC and facilities for tire washing the vehicles on the gate to be ensured inside the project site.
PPs Submission: Complied All vehicles entering to the project site is being and will be screened for PUC and will be provided facility for tire washing for vehicles.		Date: 25/05/2024
21	MISCELLANEOUS	A wheel washing system may be adopted for cleaning the tires of trucks when leaving or entering the site, to control and eliminate the

		pollution The roller or drive-through systems installation can be made for wheel washing systems.
PPs Submission: Complied We have provided facility for tire washing of vehicles to eliminate the pollution.		Date: 25/05/2024
22	MISCELLANEOUS	The project proponent to obtain construction permission and occupancy certificate from the concerned as per the existing rules.
PPs Submission: Complied We have already obtained construction certificate and occupancy certificate for existing project and we have already applied for proposed project. Copy of the same is attached as Annexure – D & Annexure – E.		Date: 25/05/2024
23	MISCELLANEOUS	Periodical report on the CapEx (Rs. 46.70 crores) for implementation of Environmental Management Systems and OpEx (Rs. 38.46 crores/ annum) for environment protection & continual improvement will be submitted to UTEIAA by project. These funds should not be diverted for any other purpose.
PPs Submission: Partially Complied Noted and will be complied.		Date: 25/05/2024
24	MISCELLANEOUS	The proponent shall revisit the present wildlife conservation plan and its budgetary provisions to prepare a detailed plan to conserve the mangrove based flora and fauna including avi-fauna and coastal/estuarial fauna of Daman in consultation with the Forest department and any external agency/institutions/third party and increase the budgetary allocation if needed. The revised proposal should be submitted within 3 months.
PPs Submission: Complied Revised wildlife conservation plan and its budgetary provision is attached as Annexure – F.		Date: 25/05/2024
25	Noise Monitoring & Prevention	The overall Noise Levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
PPs Submission: Complied Acoustic enclosure will be provided on source of noise generation like DG Sets, during operation phase. The compliance for existing projects is given in F. No. CF/DMN/13/2018-19/58 dated 03/01/2020.		Date: 25/05/2024
26	PUBLIC HEARING	EIA report indicated that one third of the population in study villages are illiterate and more that 76% people are below graduate, and 13% are graduates. M/s WPL should get associated with district authorities with CSR scheme to increase the level of education in these villages with specific villages wise annual plan implementation. Employability of the people is ensured to give them employment as recommended in Public hearing.
PPs Submission: Complied Noted. We will comply with the condition at the time of operation phase of the project.		Date: 25/05/2024
27	Risk Mitigation and Disaster	The unit shall make the arrangement for protection from possible

	Management	fire hazards during manufacturing process in material handling.
PPs Submission: Partially Complied Will be complied with the condition. Fire hydrant system will be provided along with adequate fire extinguishers.		Date: 25/05/2024
28	Risk Mitigation and Disaster Management	Risk assessment analysis shall be carried out and all the mitigation measures shall be implemented.
PPs Submission: Partially Complied Risk assessment analysis will be carried out and all the mitigations measures will be implemented at the time of operation phase.		Date: 25/05/2024
29	Statutory compliance	The Project Proponent should submit a copy of Public Liability Insurance Policy of existing unit and also for expansion as per the threshold storage criteria of some chemicals being stored and used in the plant to PCC, DNH&DD.
PPs Submission: Complied Copy of PLI policy of existing unit is submitted to PCC, DNH&DD and the copy of the same is attached as Annexure – G. The PLI policy will be upgraded after implementation of the proposed project as per the threshold storage criteria of some chemicals being stored and used in the plant.		Date: 25/05/2024
30	Statutory compliance	The Project Proponent should submit details regarding management of various hazardous/non-hazardous wastes arising as part of the production process, authorized vendors engaged in disposal of certain types of hazardous wastes, packaging wastes, etc. BIPL to take initiatives to explore use of these materials as Alternative Fuel & Raw-material (AFR) and also ETP Sludge and other wastes of low calorific value by cement plants.
PPs Submission: Complied The membership certificate of TSDF facility is attached as Annexure – H, MoU for Empty Drums/bags/ liners as Annexure – I, MoU for Polymer Waste as Annexure – J. We will comply with the condition at the time of operation phase of the project.		Date: 25/05/2024
31	Statutory compliance	The project proponent to submit a plan to further reduce water consumption in the project. Calculations in this regard with a proposal may be submitted to UTEIAA and PCC DNH&DD and be implemented within one month of issue of EC.
PPs Submission: Complied The water balance diagram is already submitted to SEIAA in ADS reply vide letter no. WPL/HR/Govt./22-30 on dated 13/09/2022. Copy of water balance diagram along with calculation is attached as Annexure – K.		Date: 25/05/2024
32	Statutory compliance	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Integrated Regional office of MoEF&CC and the PCC, DNH & DD.
PPs Submission: Complied We have uploaded the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on our website. Screenshot for the uploading status is attached as Annexure – L		Date: 25/05/2024
33	WASTE MANAGEMENT	The company shall obtain authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Tran's boundary Movement) Rules,

		2008 as amended time to time for management of hazardous wastes and prior permission from DNH & DD PCC shall be obtained for disposal of solid I hazardous waste.
PPs Submission: Partially Complied Authorization for management of hazardous wastes will be obtained from DD & DNHPCC before operation of the project.		Date: 25/05/2024
34	WASTE MANAGEMENT	The Hazardous wastes, ETP sludge, MEE salt, Empty bags/ PP liners, Empty drums, Used oil and Polymer waste generated by the industry should be subjected to R and D and waste having energy or reuse potential may not be sent to landfill, instead downstream users be identified. A report in this regard may be submitted to UTEIAA within a year of issue of EC.
PPs Submission: Complied Noted and the membership certificate of TSDF facility is attached as Annexure – H, MoU for Empty Drums/ bags/ liners as Annexure – I, MoU for Polymer Waste as Annexure – J.		Date: 25/05/2024
35	WASTE MANAGEMENT	Production and use of Fly Ash data may be submitted regularly to UTEIAA and PCC DNH and IRO Gandhinagar. 100% utilisation may be ensured.
PPs Submission: Partially Complied We will comply with the condition at the time of operation phase of the project.		Date: 25/05/2024
36	WASTE MANAGEMENT	The company shall undertake the following waste minimization measures: a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. c. Use of automated filling to minimize spillage. d. Use of close Feed system into batch reactors. e. Venting equipment through vapour recovery system. f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.
PPs Submission: Partially Complied Future plant operations will be on DCS based automation. Proposed Plant operations will be on DCS based automation system. Hence there will be complete automated Metering and Control for handling of active ingredients. Utmost possible measures will be taken for reuse and recycle of by-product.		Date: 25/05/2024
37	WATER QUALITY MONITORING AND PRESERVATION	The water consumption shall not exceed 11955 m3/day (fresh- 7160 +Recycle- 4795) from the Dabhel Gram Panchayat pond/canal water/ kolak river check dam and the company shall obtain the permission for drawl of water from the concerned Gram Panchayat and or Competent Authority. The copy shall be submitted to the PCC (DNH&DD) and the Integrated Regional office of MoEF&CC, Gandhinagar.
PPs Submission: Complied We have obtained the permission for withdrawal of water from Daman Ganga Canal Distributory. Copy of the agreement attached as Annexure – K.		Date: 25/05/2024
General Conditions		
Sr.No.	Condition Type	Condition Details
1	Risk Mitigation and Disaster Management	Leakages from pipes/pumps shall be minimal and if occurs, shall be arrested promptly.

<p>PPs Submission: Partially Complied Noted and will be complied with the condition.</p>		<p>Date: 25/05/2024</p>
2	Risk Mitigation and Disaster Management	Pucca flooring/impervious layer shall be provided in the work area, chemical storage areas and chemical handling areas to minimize soil contamination.
<p>PPs Submission: Complied Pucca flooring/ impervious layer will be provided in the work areas.</p>		<p>Date: 25/05/2024</p>
3	Risk Mitigation and Disaster Management	The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards recommended in the final EMP.
<p>PPs Submission: Partially Complied Noted and We will comply.</p>		<p>Date: 25/05/2024</p>
4	Statutory compliance	The applicant shall also comply with any additional condition that may be imposed by the UTEAC or the UTEIAA or any other competent authority for the purpose of the environmental protection and management.
<p>PPs Submission: Partially Complied Noted and will be complied.</p>		<p>Date: 25/05/2024</p>
5	WASTE MANAGEMENT	During material transfer, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.
<p>PPs Submission: Partially Complied We will comply the condition at the time of operational phase.</p>		<p>Date: 25/05/2024</p>
6	AIR QUALITY MONITORING AND PRESERVATION	At no time, the emissions shall exceed the prescribed limits. In the events of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
<p>PPs Submission: Partially Complied Noted and will be complied</p>		<p>Date: 25/05/2024</p>
7	Corporate Environmental Responsibility	The funds earmarked for environment protection measures shall be maintained in a separate account and there shall not be any diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards shall be reported.
<p>PPs Submission: Complied Noted and a year-wise expenditure on environmental safeguards will be done after proposed project.</p>		<p>Date: 25/05/2024</p>
8	Corporate Environmental Responsibility	The unit shall undertake eco-developmental measure including community welfare program most useful in the project area for the overall improvement of the environment.
<p>PPs Submission: Partially Complied We will comply with the condition at the time of operational phase of the proposed project. The compliance for existing projects is given in F. No. CF/DMN/13/2018-19/58 dated 03/01/2020.</p>		<p>Date: 25/05/2024</p>

9	MISCELLANEOUS	A separate Environment Management Cell equipped with full-fledged laboratory facilities & qualified personnel shall be set up to carry out Environment Management and Monitoring functions and a separate budget shall be allocated for this purpose.
PPs Submission: Complied Environment Management Cell exists and full-fledged laboratory facilities are already available.		Date: 25/05/2024
10	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the MoEF / UTEIAA, as the case may be. In case of deviations or alterations in the project proposal from those submitted to MoEF&CC /UTEIAA /UTEAC for clearance, a fresh reference shall be made to the UTEIAA / UTEAC to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
PPs Submission: Complied Noted		Date: 25/05/2024
11	MISCELLANEOUS	The project authorities shall earmark adequate funds to implement the conditions stipulated by UTEIAA as well as PCC (DNH&DD) along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
PPs Submission: Partially Complied Noted and will be complied		Date: 25/05/2024
12	MISCELLANEOUS	The project Proponent shall inform the public that the project has been accorded Environmental Clearance by the authority and copies of the same shall be advertised within seven days from the date of issuance of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and in addition this shall also be displayed in the Project Proponent's website permanently.
PPs Submission: Complied Complied with the condition. We have sent an intimation letter for Advertisement copy to MOEFCC, RO Bhopal dated 04/10/2022. Advertisement copy of the same is attached as Annexure – N.		Date: 25/05/2024
13	MISCELLANEOUS	The project authorities shall inform the PCC (DNH&DD), Integrated Regional office of MoEF&CC and UTEIAA (DNH & DD) about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Partially Complied Noted and will be complied		Date: 25/05/2024
14	MISCELLANEOUS	The UTEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
PPs Submission: Agreed to Comply Noted		Date: 25/05/2024

15	MISCELLANEOUS	The company in a time bound manner shall implement these conditions. The UTEIAA reserves the right to stipulate additional conditions, if the same is found necessary. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
PPs Submission: Agreed to Comply Noted		Date: 25/05/2024
16	MISCELLANEOUS	This Environmental Clearance is valid for seven years from the date of issue.
PPs Submission: Agreed to Comply Noted		Date: 25/05/2024
17	MISCELLANEOUS	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Agreed to Comply Noted		Date: 25/05/2024
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		